

BEST AVAILABLE COPY



PCT/GB2004/000212



INVESTOR IN PEOPLE

**PRIORITY
DOCUMENT**

SUBMITTED OR TRANSMITTED IN
COMPLIANCE WITH RULE 17.1(a) OR (b)

The Patent Office
Concept House
Cardiff Road
Newport
South Wales
NP10 8QQ

REC'D 13 FEB 2004

WIPO


PCT

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.



Signed

Evans

Dated 5 February 2004

The
Patent
Office

28APR03 E802824-1 000192
P01/7700 0.00-0309462.0

Request for grant of a patent

(See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form))



The Patent Office

Cardiff Road
Newport
Gwent NP10 8QQ

1. Your reference

N.88321 - MA

25 APR 2003

2. Patent application number

(The Patent Office will fill in this part)

0309462.0

3. Full name, address and postcode of the or of each applicant (underline all surnames)

MessageLabs Ltd
Merchants House
Love Lane
Cirencester
GL7 1YG

7936308001

Patents ADP number (if you know it)

If the applicant is a corporate body, give the country/state of its incorporation

United Kingdom

4. Title of the invention

A METHOD OF, AND SYSTEM FOR, REPLACING
EXTERNAL LINKS IN ELECTRONIC
DOCUMENTS

5. Name of your agent (if you have one)

J A KEMP & CO

"Address for service" in the United Kingdom to which all correspondence should be sent (including the postcode)

14 SOUTH SQUARE
GRAY'S INN
LONDON WC1R 5JJ

Patents ADP number (if you know it)

26001

6. If you are declaring priority from one or more earlier patent applications, give the country and the date of filing of the or of each of these earlier applications and (if you know it) the or each application number

Country

Priority application number
(if you know it)

Date of filing
(day / month / year)

7. If this application is divided or otherwise derived from an earlier UK application, give the number and the filing date of the earlier application

Number of earlier application

Date of filing
(day / month / year)

8. Is a statement of inventorship and of right to grant of a patent required in support of this request?

YES

(Answer "Yes" if:

- a) any applicant named in part 3 is not an inventor, or
- b) there is an inventor who is not named as an applicant, or
- c) any named applicant is a corporate body:

See note (d))

Patents Form 1/77

9. Enter the number of sheets for any of the following items you are filing with this form. Do not count copies of the same document

Continuation sheets of this form

Description	7
Claim(s)	2
Abstract	1
Drawing(s)	3 1/2

10. If you are also filing any of the following, state how many against each item.

Priority documents

Translations of priority documents

Statement of inventorship and right to grant of a patent (Patents Form 7/77) 1

Request for preliminary examination and search (Patents Form 9/77) 1

Request for substantive examination (Patents Form 10/77)

Any other documents -
(please specify)

11. I/We request the grant of a patent on the basis of this application

Signature *MAKERS*

Date 25/04/2003

12. Name and daytime telephone number of person to contact in the United Kingdom M L S AYERS
020 7405 3292

Warning

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

Notes

- If you need help to fill in this form or you have any questions, please contact the Patent Office on 0645 500505.*
- Write your answers in capital letters using black ink or you may type them.*
- If there is not enough space for all the relevant details on any part of this form, please continue of a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.*
- If you have answered "Yes" Patents Form 7/77 will need to be filed.*
- Once you have filled in the form you must remember to sign and date it.*
- For details of the fee and ways to pay please contact the Patent Office.*

**A METHOD OF, AND SYSTEM FOR,
REPLACING EXTERNAL LINKS IN ELECTRONIC DOCUMENTS**

5 The present invention relates to a method of, and system for, replacing external links in electronic documents such as email with links which can be controlled. One use of this is to ensure that email that attempts to bypass email content scanners no longer succeeds. Another use is to reduce the effectiveness of web bugs.

10 Content scanning can be carried out at a number of places in the passage of electronic documents from one system to another. Taking email as an example, it may be carried out by software operated by the user, e.g. incorporated in or an adjunct to, his email client, and it may be carried out on a mail server to which the user connects, over a LAN or WAN, in order to retrieve email. Also, Internet Service Providers (ISPs) can carry out content scanning as a value-added service on behalf of customers who, for example,
15 then retrieve their content-scanned email via a POP3 account or similar.

 One trick which can be used to bypass email content scanners is to create an email which just contains a link (such as an HTML hyperlink) to the undesirable or "nasty" content. Such content may include viruses and other varieties of malware as well as potentially offensive material such as pornographic images and text, and other material to
20 which the email recipient may not wish to be subjected, such as spam. The content scanner sees only the link, which is not suspicious, and the email is let through. However, when viewed in the email client, the object referred to may either be bought in automatically by the email client, or when the reader clicks on the link. Thus, the nasty object ends up on the user's desktop, without ever passing through the email content scanner.

25 It is possible for the content scanner to download the object by following the link itself. It can then scan the object. However, this method is not foolproof – for instance, the server delivering the object to the content scanner may be able to detect that the request is from a content scanner and not from the end user. It may then serve up a different, innocent object to be scanned. However, when the end-user requests the object,
30 they get the nasty one.

 The present invention seeks to reduce or eliminate the problems of embedded links in electronic documents and does so by having the content scanner attempt to follow a link found in an electronic document and scan the object which is the target of the link. If the object is found to be acceptable from the point of view of content-scanning
35 criteria, it is retrieved by the scanner and stored on a local, trusted server which is under

the control of the person or organisation operating the invention. The link in the electronic document is adjusted to point at the copy of the object stored on the trusted server rather than the original; the document can then be delivered to the recipient without the possibility that the version received by the recipient differs from the one originally scanned. Note that it does not matter to the principle of the invention whether the linked object is stored on the trusted server before or after it has been scanned for acceptability; if it is stored first and found unacceptable on scanning, the link to it can simply be deleted.

If the object is not found to be acceptable, one or more remedial actions may be taken: for example, the link may be replaced by a non-functional link and/or a notice that the original link has been removed and why; another possibility is that the electronic document can be quarantined and an email or alert generated and sent to the intended recipient advising him that this has been done and perhaps including a link via which he can retrieve it nevertheless or delete it. The process of following links, scanning the linked object and replacing it or not with an embedded copy and an adjusted link may be applied

recursively. An upper limit may be placed on the number of recursion levels, to stop the system getting stuck in an infinite loop (e.g. because there are circular links) and to effectively limit the amount of time the processing will take.

Thus according to the present invention there is provided a content scanning system for electronic documents such as emails comprising:

- a) a link analyser for identifying hyperlinks in document content;
- b) means for causing a content scanner to scan objects referenced by links identified by the link analyser and to determine their acceptability according to predefined rules, the means being operative, when the link is to an object external to the document and is determined by the content analyser to be acceptable, to retrieve the external object and modify the document by replacing the link to the external object by one to a copy of the object stored on a trusted server.

The invention also provides a method of content-scanning electronic documents such as emails comprising:

- a) using a link analyser for identifying hyperlinks in document content;
- b) using a content scanner to scan objects referenced by links identified by the link analyser and to determine their acceptability according to predefined rules, the means being operative, when the link is to an object external to the document and is determined by the content analyser to be acceptable, to retrieve the external object and

modify the document by replacing the link to the external object by one to a copy of the object stored on a trusted server.

Thus the content scanner can follow the link, and download and scan the object. If the object is judged satisfactory, a copy of it is stored on the trusted server, and the link to the external object replaced by a link to that copy.

One trick used by spammers is to embody 'web bugs' in their spam emails. These are unique or semi-unique links to web sites – so a spammer sending out 1000 emails would use 1000 different links. When the email is read, a connection is made to the web site, and by finding which link has been hit, the spammer can match it with their records to tell which person has read the spam email. This then confirms that the email address is a genuine one. The spammer can continue to send email to that address, or perhaps even sell the address on to other spammers.

By following every external link in every email that passes through the content scanner, all the web bugs the spammer sends out will be activated. Their effectiveness therefore becomes much reduced, because they can no longer be used to tell which email addresses were valid or not.

The invention will be further described by way of non-limiting example with reference to the accompanying drawings, in which:-

Figure 1 shows the "before" and "after" states of an email processed by an embodiment of the present invention; and

Figure 2 shows the email processor of a system embodying the present invention; and

Figure 3 shows an object server for providing objects referenced by links in email which has been rebuilt by the system of Figure 2.

Figure 1a shows an email 1 formatted according to an internet (e.g. SMTP/MIME) format. The body includes a hypertext link 2 which points to an object 3 on a web server 4 somewhere on the internet. The object 3 may for example be a graphical image embedded in a web page (e.g. HTML or XML).

Figure 1b shows the situation after the email 1 has been processed by the system to be described below and the content pointed at by the link 2 has been judged to be acceptable. The content, i.e. image 3 has been copied to an object server 5 as image 3'; the object server 5 is hosted on a secure server machine 6 (or array of such machines) under the control of the person or organisation operating the system (e.g. an ISP). The original link 2 has been replaced by a new link 2' pointing at the image 3' stored on the secure or

trusted server 6. The server 6 operates in the security domain of the operator of the system and has access permissions associated with the stored content objects such as 3' which enable eventual recipients of emails such as 1, or more strictly speaking their email client software to follow the link 2' and retrieve the linked-to object. Of course, the access permissions of server 6 should prevent persons or software without appropriate security credentials from writing to the linked-to object storage area.

Figures 2 and 3 illustrate a system according to the present invention. Although the invention is not limited to this application, this example embodiment is given in terms of a content scanner operated by an ISP to process email stream e.g. passing through an email gateway.

Figure 2 shows the part of the system which processes emails and modifies them to replace links to objects on untrusted servers such as 4 by links to objects on trusted server 6, where the linked-to object is considered to be acceptable content.

Figure 3 shows the object server which provides the linked-to objects when recipients follow the processed links in their emails.

The part 100 of the system which is shown in Figure 2 may operate as follows in respect of each item of email delivered to an input 101.

1. The email is analysed by analyser 102 to determine whether it contains external links. This determination may be made, for example, by scanning it for standard markup tags which point to external content or objects, for example the <A> and <IMAGE> tags in HTML. If none are found, steps 2 to 5 are omitted and the email is delivered unprocessed to output 103 via path 104.

2. The analyser 102 operates in concert with a link replacer 105 to process links to external objects. For each link, the link replacer 105 creates a new link which is stored in a link database 106. The new link is generated by a process guaranteed to generate unique links each time. A database entry is created, tying the original link and the new, replacement, one together.

3. An email rebuilder 107 rebuilds the email with each link replaced by its new counterpart stored in link database 106 and the rebuilt email is forwarded on.

4. When the email is read, the part 200 of the system illustrated in Figure 3 comes into play. The new link may be requested either by the email client software, or by the person reading the email clicking or otherwise selecting the link. This generates a request retrieve an object from the trusted server 6. The server 6 looks up in the link

•

•

5

7.

10

15

25

The following email contains a link to a website.

30

35

<BODY bgColor=3D#ffffff>

```
<DIV><IMAGE src="http://www.message-labs.com/threatlist"
</DIV>
This is some more text<BR>
</BODY></HTML>
```

5

A new link is generated: <http://safelink.com/09052002161710a33071ef407.gif>, the email is updated, and a database entry is generated.

10 Database Entry

Old link: <http://www.message-labs.com/threatlist.gif>

New link: <http://safelink.com/09052002161710a33071ef407.gif>

15 Updated email

```
Subject: email with link
Subject:
Date: Thu, 9 May 2002 16:17:01 +0600
20 MIME-Version: 1.0
Content-Type: text/html;
Content-Transfer-Encoding: 7bit
```

25

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
```

```
<HTML><HEAD>
```

```
</HEAD>
```

```
<BODY bgColor=3D#ffffff>
```

```
<DIV>&nbsp;</DIV>
```

```
This is some text<BR>
```

30

```
<DIV><IMAGE src="http://safelink.com/09052002161710a33071ef407.gif"
```

```
</DIV>
```

```
This is some more text<BR>
```

```
</BODY></HTML>
```

35

When the email is read, the email client may try and download the image referred to by the link. However, it will try and retrieve the image from <http://safelink.com/09052002161710a33071ef407.gif> rather than <http://www.message-labs.com/threatlist.gif>

The safelink.com server will lookup

40

<http://safelink.com/09052002161710a33071ef407.gif> in the database, and find that the original link is <http://www.message-labs.com/threatlist.gif>. It will download the object, and scan it, perhaps for pornography or other inappropriate content.

If the scan shows the object is harmless, it can be passed back to the original requestor.

45

Example Link Generator

The link can be generated by processing the name of the server generating the link, the current time, the process id, a number that increments each time and random number. This will all be appended to an appropriate reference to the 'safelink' server.

Thus if the server generating the link is mail2071.message-labs.com, the reference is for the http protocol the time is 27 Jan 2003, 17:45:01 the process id is 1717, 27 references have already been generated and the safelink server is safelink.com, then a typical link might be:

5 http://safelink.com/mail2071_message-labs_com/27012003174501/1717/28/10131354834

Other Improvements

10 Other improvements can be added to the system. For instance, the system does not have to wait until the object is first requested. It may proactively fetch the object ahead of time, scan it, and either cache the object or remember that the scan did not pass. This will cut down on delays when the object is requested. If all links are followed then this will activate all web bugs placed in the email, thereby much reducing their effectiveness.

15 The system can also cache and intelligently remember which objects have been retrieved – if five emails contain the same original link, then even though they will end up with five different new links the referred to object only needs to be retrieved once and not five times.

20 The system might want to ensure the same filename extension is used for the old and new links.

CLAIMS

1. A content scanning system for electronic documents such as emails comprising:

- a) a link analyser for identifying hyperlinks in document content;
- 5 b) means for causing a content scanner to scan objects referenced by links identified by the link analyser and to determine their acceptability according to predefined rules, the means being operative, when the link is to an object external to the document and is determined by the content analyser to be acceptable, to retrieve the external object and modify the document by replacing the link to the external object by one
- 10 to a copy of the object stored on a trusted server.

2. A system according to claim 1 wherein the link analyser a) and means b) are operative to recursively process links identified in such external objects.

3. A system according to claim 2 in which only a maximum depth of recursion is permitted and the document is flagged as unacceptable if that limit is reached.

15 4. A system according to any one of the preceding claims wherein if any linked-to object is determined by the content scanner to be unacceptable the document is flagged or modified to indicate that fact.

5. A method of content-scanning electronic documents such as emails comprising:

- 20 a) using a link analyser for identifying hyperlinks in document content;
- b) using a content scanner to scan objects referenced by links identified by the link analyser and to determine their acceptability according to predefined rules, the means being operative, when the link is to an object external to the document and is determined by the content analyser to be acceptable, to retrieve the external object and
- 25 modify the document by replacing the link to the external object by one to a copy of the object stored on a trusted server.

6. A method according to claim 5 wherein the steps a) and b) are used recursively to process links identified in such external objects.

7. A method according to claim 6 in which only a maximum depth of recursion is permitted and the document is flagged as unacceptable if that limit is reached.

5 8. A method according to any one of claim 5 to 7, wherein if any linked-to object is determined by the content scanner to be unacceptable the document is flagged or modified to indicate that fact.

9. A content scanning system for electronic documents substantially as hereinbefore described and with reference to the accompanying drawings.

10 10. A method of content-scanning electronic documents substantially as hereinbefore described and with reference to the accompanying drawings.

ABSTRACT

A content scanner for electronic documents such as email scans objects which are the target of hyperlinks within the document. If they are determined to be acceptable, the hyperlinks are replaced by ones pointing to copies of the objects stored on a trusted server.

BEFORE




Fig.1A

AFTER




Fig.1B

- ① LINK CHANGED TO POINT TO SAFE SERVER
- ② DATABASE REMEMBERS ORIGINAL LOCATION OF OBJECT
- ③ ORIGINAL OBJECT IS RETRIEVED, SCANNED THEN MADE AVAILABLE IF SAFE




Fig.2




Fig. 3

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☒ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.